


Premier
Scientific

Reagecon

A CALIBRE SCIENTIFIC COMPANY

Product Code	Category	Description	Pack Size
KC2002F	Electrochemistry	Chemical Oxygen Demand COD Reagent Potassium Dichromate 0.0208M (0.125N) Solution	1L
WTR50W	Electrochemistry	Chemical Oxygen Demand COD Reagent (1977 method)	2.5L
AGS1H	Electrochemistry	Chemical Oxygen Demand COD Reagent 1% w/v Silver Sulphate in Sulphuric Acid Solution	500ml
AGS1W	Electrochemistry	Chemical Oxygen Demand COD Reagent 1% w/v Silver Sulphate in Sulphuric Acid Solution	2.5L
CODMS	Electrochemistry	Chemical Oxygen Demand COD Reagent 20% w/v Mercury (II) Sulphate in 10% w/v Sulphuric Acid	500ml
COD10M	Electrochemistry	Chemical Oxygen Demand COD Calibration Standard 10000ppm Solution	500ml
COD1000	Electrochemistry	Chemical Oxygen Demand COD Calibration Standard 1000ppm Solution	500ml
COD100	Electrochemistry	Chemical Oxygen Demand COD Calibration Standard 100ppm Solution	500ml
COD10	Electrochemistry	Chemical Oxygen Demand COD Calibration Standard 10ppm Solution	500ml
COD1300	Electrochemistry	Chemical Oxygen Demand COD Calibration Standard 1300ppm Solution	500ml
COD1500	Electrochemistry	Chemical Oxygen Demand COD Calibration Standard 1500ppm Solution	500ml
COD20M	Electrochemistry	Chemical Oxygen Demand COD Calibration Standard 20000ppm Solution	500ml
COD2000	Electrochemistry	Chemical Oxygen Demand COD Calibration Standard 2000ppm Solution	500ml
COD200	Electrochemistry	Chemical Oxygen Demand COD Calibration Standard 200ppm Solution	500ml
COD20	Electrochemistry	Chemical Oxygen Demand COD Calibration Standard 20ppm Solution	500ml
COD30K	Electrochemistry	Chemical Oxygen Demand COD Calibration Standard 30000ppm Solution	1L
COD3000	Electrochemistry	Chemical Oxygen Demand COD Calibration Standard 3000ppm Solution	500ml
COD5000	Electrochemistry	Chemical Oxygen Demand COD Calibration Standard 5000ppm Solution	500ml
COD500	Electrochemistry	Chemical Oxygen Demand COD Calibration Standard 500ppm Solution	500ml
COD50	Electrochemistry	Chemical Oxygen Demand COD Calibration Standard 50ppm Solution	500ml
COD60M5	Electrochemistry	Chemical Oxygen Demand COD Calibration Standard 60000ppm Solution	500ml
COD6000	Electrochemistry	Chemical Oxygen Demand COD Calibration Standard 6000ppm Solution	500ml
COD600	Electrochemistry	Chemical Oxygen Demand COD Calibration Standard 600ppm Solution	500ml
420722	Electrochemistry	COD Vials - Measuring Range 0-15000mg/L	25 Vials
420721	Electrochemistry	COD Vials - Measuring Range 0-1500mg/L	25 Vials
420720	Electrochemistry	COD Vials - Measuring Range 0-150mg/L	25 Vials
RESNHCLA2	Electrochemistry	Reagecon Resistivity A 0.1% Ammonium Chloride Solution at 25°C, according IEC 60112:2003	1L
CSK111800	Electrochemistry	Conductivity Standard 111,800 µS/cm @25°C	500ml
CS127805	Electrochemistry	Conductivity Standard 1278 µS/cm @20°C	500ml
CSK12880-10L	Electrochemistry	Conductivity Standard 12,880 µS/cm @25°C	10L
CSK12880-1L	Electrochemistry	Conductivity Standard 12,880 µS/cm @25°C	1L
CSK12880	Electrochemistry	Conductivity Standard 12,880 µS/cm @25°C	500ml
CSKCL-10L	Electrochemistry	Conductivity Standard 1,413 µS/cm @25°C	10L
CSKCL-5L	Electrochemistry	Conductivity Standard 1,413 µS/cm @25°C	5L
CSKCL	Electrochemistry	Conductivity Standard 1,413 µS/cm @25°C	500ml
CSKCL1	Electrochemistry	Reagecon 1413 µS/cm Conductivity Standard at 25°C	1L
CSKCS	Electrochemistry	Conductivity Standard 147 µS/cm @25°C	500ml
CSKCS-5L	Electrochemistry	Reagecon 147 µS/cm Conductivity Standard at 25°C	5L
CSK8425	Electrochemistry	Conductivity Standard 84 µS/cm @25°C	250ml
CSK84-5L	Electrochemistry	Conductivity Standard 84 µS/cm @25°C	5L
CSK84	Electrochemistry	Conductivity Standard 84 µS/cm @25°C	500ml
CSK13	Electrochemistry	Conductivity Standard 1.30 µS/cm @25°C	250ml
CSK136	Electrochemistry	Conductivity Standard 1.30 µS/cm @25°C	6x250ml
CSK1025	Electrochemistry	Conductivity Standard 10 µS/cm @25°C	250ml
CSK10	Electrochemistry	Conductivity Standard 10 µS/cm @25°C	500ml
CSK100	Electrochemistry	Conductivity Standard 100 µS/cm @25°C	500ml
CSK1000-10L	Electrochemistry	Conductivity Standard 1,000 µS/cm @25°C	10L
CSK1000	Electrochemistry	Conductivity Standard 1,000 µS/cm @25°C	500ml
CSK10M-10L	Electrochemistry	Conductivity Standard 10,000 µS/cm @25°C	10L
CSK10M	Electrochemistry	Conductivity Standard 10,000 µS/cm @25°C	500ml
CSK100M-10L	Electrochemistry	Conductivity Standard 100,000 µS/cm @25°C	10L
CSK100M	Electrochemistry	Conductivity Standard 100,000 µS/cm @25°C	500ml
CSK1325	Electrochemistry	Conductivity Standard 13.25 µS/cm @25°C	500ml
CSK15	Electrochemistry	Conductivity Standard 15 µS/cm @25°C	500ml
CSK150	Electrochemistry	Conductivity Standard 150 µS/cm @25°C	500ml
CSK15M	Electrochemistry	Conductivity Standard 15,000 µS/cm @25°C	500ml
CSK150M	Electrochemistry	Conductivity Standard 150,000 µS/cm @25°C	500ml
CSK185	Electrochemistry	Conductivity Standard 185 µS/cm @25°C	500ml
CSK2	Electrochemistry	Conductivity Standard 2 µS/cm @25°C	250ml
CSK20	Electrochemistry	Conductivity Standard 20 µS/cm @25°C	500ml
CSK20-5L	Electrochemistry	Reagecon 20 µS/cm Conductivity Standard at 25°C	5L
CSK200-5L	Electrochemistry	Conductivity Standard 200 µS/cm @25°C	5L
CSK200	Electrochemistry	Conductivity Standard 200 µS/cm @25°C	500ml
CSK2M-10L	Electrochemistry	Conductivity Standard 2,000 µS/cm @25°C	10L
CSK2M	Electrochemistry	Conductivity Standard 2,000 µS/cm @25°C	500ml
CSK20M-10L	Electrochemistry	Conductivity Standard 20,000 µS/cm @25°C	10L
CSK20M	Electrochemistry	Conductivity Standard 20,000 µS/cm @25°C	500ml
CSK200M-10L	Electrochemistry	Conductivity Standard 200,000 µS/cm @25°C	10L
CSK200M	Electrochemistry	Conductivity Standard 200,000 µS/cm @25°C	500ml
CSK238	Electrochemistry	Conductivity Standard 23.8 µS/cm @25°C	500ml
CSK25	Electrochemistry	Conductivity Standard 25 µS/cm @25°C	500ml
CSK250	Electrochemistry	Conductivity Standard 250 µS/cm @25°C	500ml




Premier
Scientific

Reagecon

A CALIBRE SCIENTIFIC COMPANY

Product Code	Category	Description	Pack Size
CSKC2500-10L	Electrochemistry	Conductivity Standard 2,500 µS/cm @25°C	10L
CSKC2500	Electrochemistry	Conductivity Standard 2,500 µS/cm @25°C	500ml
CS2513M	Electrochemistry	Reagecon 251.3 mS/cm Conductivity Standard at 25°C	500ml
CSKC3	Electrochemistry	Conductivity Standard 3 µS/cm @25°C	250ml
CSKC300-5L	Electrochemistry	Conductivity Standard 300 µS/cm @25°C	5L
CSKC300	Electrochemistry	Conductivity Standard 300 µS/cm @25°C	500ml
CSKC3M-10L	Electrochemistry	Conductivity Standard 3,000 µS/cm @25°C	10L
CSKC3M	Electrochemistry	Conductivity Standard 3,000 µS/cm @25°C	500ml
CSKC30M-10L	Electrochemistry	Conductivity Standard 30,000 µS/cm @25°C	10L
CSKC30M	Electrochemistry	Conductivity Standard 30,000 µS/cm @25°C	500ml
CSKC300M-10L	Electrochemistry	Conductivity Standard 300,000 µS/cm @25°C	10L
CSKC300M	Electrochemistry	Conductivity Standard 300,000 µS/cm @25°C	500ml
CSKC35M	Electrochemistry	Conductivity Standard 35,000 µS/cm @25°C	500ml
CSKC350M	Electrochemistry	Conductivity Standard 350,000 µS/cm @25°C	500ml
CSKC400-5L	Electrochemistry	Conductivity Standard 400 µS/cm @25°C	5L
CSKC400	Electrochemistry	Conductivity Standard 400 µS/cm @25°C	500ml
CSKC40M	Electrochemistry	Conductivity Standard 40,000 µS/cm @25°C	500ml
CSKC400M	Electrochemistry	Conductivity Standard 400,000 µS/cm @25°C	500ml
CSKC450M	Electrochemistry	Conductivity Standard 450,000 µS/cm @25°C	500ml
CSKC5	Electrochemistry	Conductivity Standard 5 µS/cm @25°C	500ml
CSKC50	Electrochemistry	Conductivity Standard 50 µS/cm @25°C	500ml
CSKC50025	Electrochemistry	Conductivity Standard 500 µS/cm @25°C	250ml
CSKC500-5L	Electrochemistry	Conductivity Standard 500 µS/cm @25°C	5L
CSKC500	Electrochemistry	Conductivity Standard 500 µS/cm @25°C	500ml
CSKC5M-10L	Electrochemistry	Conductivity Standard 5,000 µS/cm @25°C	10L
CSKC5M	Electrochemistry	Conductivity Standard 5,000 µS/cm @25°C	500ml
CSKC50M-10L	Electrochemistry	Conductivity Standard 50,000 µS/cm @25°C	10L
CSKC50M	Electrochemistry	Conductivity Standard 50,000 µS/cm @25°C	500ml
CSKC500M-10L	Electrochemistry	Conductivity Standard 500,000 µS/cm @25°C	10L
CSKC500M	Electrochemistry	Conductivity Standard 500,000 µS/cm @25°C	500ml
CSKC60M	Electrochemistry	Conductivity Standard 60,000 µS/cm @25°C	500ml
CS64805	Electrochemistry	Reagecon 648 µS/cm Conductivity Standard at 20°C	500ml
CSKC7M	Electrochemistry	Conductivity Standard 7,000 µS/cm @25°C	500ml
CSKC718	Electrochemistry	Conductivity Standard 718 µS/cm @25°C	500ml
CSKC8M	Electrochemistry	Conductivity Standard 8,000 µS/cm @25°C	500ml
CSKC80M-10L	Electrochemistry	Conductivity Standard 80,000 µS/cm @25°C	10L
CSKC80M	Electrochemistry	Conductivity Standard 80,000 µS/cm @25°C	500ml
CSKC84M	Electrochemistry	Conductivity Standard 84,000 µS/cm @25°C	500ml
TDS1000	Electrochemistry	TDS standard, 1000mg/L	1L
TDS100	Electrochemistry	TDS standard, 100mg/L	1L
CS1382	Electrochemistry	TDS Standard 1382 ppm NaCl @25°C	500ml
TDS1500	Electrochemistry	TDS standard, 1500mg/L	1L
TDS2000	Electrochemistry	TDS standard, 2000mg/L	1L
TDS250	Electrochemistry	TDS standard, 250mg/L	1L
TDS500	Electrochemistry	TDS standard, 500mg/L	1L
TDS10	Electrochemistry	Reagecon Total Dissolved Solids (TDS) 10 mg/L Standard	1L
TDS50	Electrochemistry	Reagecon Total Dissolved Solids (TDS) 50 mg/L Standard	1L
ECS	Electrochemistry	Electrode Cleaning Solution (Pepsin/Hydrochloric Acid) for removal of proteins	500ml
ECS-250ML	Electrochemistry	Electrode Cleaning Solution (Pepsin/Hydrochloric Acid) for removal of proteins	250ml
IECS	Electrochemistry	Electrode Cleaning Solution Inorganic (Thiourea/Hydrochloric Acid) for removal of sulphide	100ml
IECS5	Electrochemistry	Electrode Cleaning Solution Inorganic (Thiourea/Hydrochloric Acid) for removal of sulphide	500ml
OECS	Electrochemistry	Electrode Cleaning Solution Organic	500ml
EF35AC5	Electrochemistry	Electrode filling Solution 3.5M Potassium Chloride (KCl), saturated with AgCl	500ml
EF351	Electrochemistry	Electrode filling Solution 3.5M Potassium Chloride (KCl) free from Silver ion	100ml
EF3511	Electrochemistry	Electrode filling Solution 3.5M Potassium Chloride (KCl) free from Silver ion	1L
EF35AC	Electrochemistry	Electrode filling Solution 3.5M Potassium Chloride (KCl), saturated with AgCl	100ml
EF3581	Electrochemistry	Electrode filling Solution 3.8M Potassium Chloride (KCl), free from Silver ion	100ml
EF3	Electrochemistry	Electrode filling Solution 3M Potassium Chloride (KCl), free from Silver ion	100ml
EF3-250ML	Electrochemistry	Electrode filling Solution 3M Potassium Chloride (KCl), free from Silver ion	250ml
EF35	Electrochemistry	Electrode filling Solution 3M Potassium Chloride (KCl), free from Silver ion	500ml
EF3AC	Electrochemistry	Electrode filling Solution 3M Potassium Chloride (KCl), saturated with AgCl	100ml
EF3AC-250ML	Electrochemistry	Electrode filling Solution 3M Potassium Chloride (KCl), saturated with AgCl	250ml
EF3AC5	Electrochemistry	Electrode filling Solution 3M Potassium Chloride (KCl), saturated with AgCl	500ml
EF3005	Electrochemistry	Electrode filling Solution 3M Potassium Chloride (KCl), free from Silver ion	50ml
EF301	Electrochemistry	Electrode filling Solution 3M Potassium Chloride (KCl), free from Silver ion	1L
EF4	Electrochemistry	Electrode filling Solution 4M Potassium Chloride (KCl), free from Silver ion	100ml
EF4AC	Electrochemistry	Electrode filling Solution 4M Potassium Chloride (KCl), saturated with AgCl	100ml
EF3AMO1	Electrochemistry	Electrode filling Solution Ammonia	100ml
EFSDO	Electrochemistry	Electrode filling Solution Dissolved Oxygen Electrolyte	100ml
EF5KNO	Electrochemistry	Electrode filling Solution Double Junction Bridge 10% w/v Potassium Nitrate	100ml
EF52AS	Electrochemistry	Electrode filling Solution Double Junction Bridge 2M Ammonium Sulphate(NH4)2 SO4	100ml
LKCL	Electrochemistry	Electrode filling Solution Saturated Potassium (KCl), free from Silver ion	100ml




Premier
Scientific

Reagecon

A CALIBRE SCIENTIFIC COMPANY

Product Code	Category	Description	Pack Size
EFSNACLO4	Electrochemistry	Electrode filling Solution Saturated Sodium Perchlorate in Glacial Acetic Acid	100ml
EFSLIET	Electrochemistry	Non-Aqueous Electrode Filling Solution; 1M Lithium Chloride (LiCl), dissolved in ethanol	100ml
EFSLIGA	Electrochemistry	Non-Aqueous Electrode Filling Solution; 1M Lithium Chloride (LiCl), dissolved in glacial acetic acid	100ml
EFSLICL	Electrochemistry	Non-Aqueous Electrode Filling Solution; 1M Lithium Chloride (LiCl), dissolved in isopropanol	100ml
EFSKNOKCL	Electrochemistry	Reagecon 2M Potassium Nitrate and 0.001M Potassium Chloride Electrode Filling Solution	250ml
S22WW025	Electrochemistry	Sodium Hydroxide 22% w/w Electrolyte Solution Kit	250ml
ERS	Electrochemistry	Electrode Regeneration Solution	100ml
ERS55	Electrochemistry	Electrode Rinse Solution	500ml
ESS001	Electrochemistry	pH Electrode Storage Solution	100ml
ESS01	Electrochemistry	pH Electrode Storage Solution	1L
ESS05	Electrochemistry	pH Electrode Storage Solution	5L
ESS5	Electrochemistry	pH Electrode Storage Solution	500ml
ISENH5	Electrochemistry	Ion Selective Electrode Standard Ammonia 1000ppm as N	500ml
ISENH1005	Electrochemistry	Ion Selective Electrode Standard Ammonia 100ppm as N	500ml
NH3101	Electrochemistry	Ion Selective Electrode Standard Ammonia 1mg/l as as NH3	100ml
ISENH45	Electrochemistry	Ion Selective Electrode Standard Ammonium 1000ppm as NH4	500ml
ISENH41005	Electrochemistry	Ion Selective Electrode Standard Ammonium 100ppm as NH4	500ml
ISEBR5	Electrochemistry	Ion Selective Electrode Standard Bromide 1000ppm	500ml
ISECA5	Electrochemistry	Ion Selective Electrode Standard Calcium 1000ppm	500ml
ISECL5	Electrochemistry	Ion Selective Electrode Standard Chloride 1000ppm	500ml
ISECL10005	Electrochemistry	Ion Selective Electrode Standard Chloride 100ppm	500ml
ISEF08	Electrochemistry	Ion Selective Electrode Standard Fluoride 0.8ppm	500ml
ISEF5	Electrochemistry	Ion Selective Electrode Standard Fluoride 1000ppm	500ml
ISEF10005	Electrochemistry	Ion Selective Electrode Standard Fluoride 100ppm	500ml
ISEF1005	Electrochemistry	Ion Selective Electrode Standard Fluoride 10ppm	500ml
ISEF1	Electrochemistry	Ion Selective Electrode Standard Fluoride 1ppm	500ml
ISEF11	Electrochemistry	Ion Selective Electrode Standard Fluoride 1ppm	1L
ISEF20005	Electrochemistry	Ion Selective Electrode Standard Fluoride 200ppm	500ml
ISEF50005	Electrochemistry	Ion Selective Electrode Standard Fluoride 500ppm	500ml
ISEF5005	Electrochemistry	Ion Selective Electrode Standard Fluoride 50ppm	500ml
ISEF0505	Electrochemistry	Reagecon Fluoride 5 ppm Ion Selective Electrode Standard	500ml
ISEI5	Electrochemistry	Ion Selective Electrode Standard Iodide 1000ppm	500ml
ISEPB5	Electrochemistry	Ion Selective Electrode Standard Lead 1000ppm	500ml
ISEMG5	Electrochemistry	Ion Selective Electrode Standard Magnesium 1000ppm	500ml
ISEN5	Electrochemistry	Ion Selective Electrode Standard Nitrate 1000ppm as NO3	500ml
ISEN1005	Electrochemistry	Ion Selective Electrode Standard Nitrate 100ppm as NO3	500ml
ISEN105	Electrochemistry	Ion Selective Electrode Standard Nitrate 10ppm as NO3	500ml
P10001	Electrochemistry	Ion Selective Electrode Standard Phosphate 1000ppm	1L
P1005	Electrochemistry	Ion Selective Electrode Standard Phosphate 100ppm	500ml
ISEK5	Electrochemistry	Ion Selective Electrode Standard Potassium 1000ppm	500ml
ISENA5	Electrochemistry	Ion Selective Electrode Standard Sodium 1000ppm	500ml
ISENA10005	Electrochemistry	Reagecon Sodium 100 ppm Ion Selective Electrode Standard	500ml
ISES5	Electrochemistry	Ion Selective Electrode Standard Sulphide 1000ppm	500ml
ISESC5	Electrochemistry	Ion Selective Electrode Standard Thiocyanate 1000ppm	500ml
TISABSL	Electrochemistry	Reagecon Fluoride TISAB Ionic Strength Adjuster Solution	5L
ISANH5	Electrochemistry	Ionic Strength Adjustor Ammonia 10M NaOH	500ml
ISACL5	Electrochemistry	Ionic Strength Adjustor Chloride 5M NaNO3	500ml
TISAF5	Electrochemistry	Ionic Strength Adjustor Fluoride TISAB3	500ml
TISAF55	Electrochemistry	Ionic Strength Adjustor Fluoride TISAB3	5L
ISAI5	Electrochemistry	Ionic Strength Adjustor Iodide 5M NaNO3	500ml
ISAN5	Electrochemistry	Ionic Strength Adjustor Nitrate 2M (NH4)2SO4	500ml
ISAWH5	Electrochemistry	Ionic Strength Adjustor Water Hardness 4M KCl	500ml
TISABIV	Electrochemistry	TISAB IV Solution	2.5L
TISAB5	Electrochemistry	TISAB Solution	5L
1010	Electrochemistry	pH Buffer Solution pH 1.00 ± 0.02 @20°C	1L
5010	Electrochemistry	pH Buffer Solution pH 1.00 ± 0.02 @20°C	5L
10105	Electrochemistry	pH Buffer Solution pH 1.00 ± 0.02 @20°C	500ml
1012	Electrochemistry	pH Buffer Solution pH 1.20 ± 0.02 @20°C	1L
10125	Electrochemistry	pH Buffer Solution pH 1.20 ± 0.02 @20°C	500ml
1100	Electrochemistry	pH Buffer Solution pH 10.00 ± 0.01 @20°C	1L
5100	Electrochemistry	pH Buffer Solution pH 10.00 ± 0.01 @20°C	5L
11005	Electrochemistry	pH Buffer Solution pH 10.00 ± 0.01 @20°C	500ml
1110	Electrochemistry	pH Buffer Solution pH 11.00 ± 0.05 @20°C	1L
11105	Electrochemistry	pH Buffer Solution pH 11.00 ± 0.05 @20°C	500ml
1120	Electrochemistry	pH Buffer Solution pH 12.00 ± 0.05 @20°C	1L
5120	Electrochemistry	pH Buffer Solution pH 12.00 ± 0.05 @20°C	5L
11205	Electrochemistry	pH Buffer Solution pH 12.00 ± 0.05 @20°C	500ml
1130	Electrochemistry	pH Buffer Solution pH 13.00 ± 0.05 @20°C	1L
5130	Electrochemistry	pH Buffer Solution pH 13.00 ± 0.05 @20°C	5L
11305	Electrochemistry	pH Buffer Solution pH 13.00 ± 0.05 @20°C	500ml
1020	Electrochemistry	pH Buffer Solution pH 2.00 ± 0.02 @20°C	1L
5020	Electrochemistry	pH Buffer Solution pH 2.00 ± 0.02 @20°C	5L




Premier
Scientific

Reagecon

A CALIBRE SCIENTIFIC COMPANY

Product Code	Category	Description	Pack Size
10205	Electrochemistry	pH Buffer Solution pH 2.00 ± 0.02 @20°C	500ml
1030	Electrochemistry	pH Buffer Solution pH 3.00 ± 0.02 @20°C	1L
5030	Electrochemistry	pH Buffer Solution pH 3.00 ± 0.02 @20°C	5L
10305	Electrochemistry	pH Buffer Solution pH 3.00 ± 0.02 @20°C	500ml
1040	Electrochemistry	pH Buffer Solution pH 4.00 ± 0.01 @20°C	1L
5040	Electrochemistry	pH Buffer Solution pH 4.00 ± 0.01 @20°C	5L
10405	Electrochemistry	pH Buffer Solution pH 4.00 ± 0.01 @20°C	500ml
1050	Electrochemistry	pH Buffer Solution pH 5.00 ± 0.01 @20°C	1L
5050	Electrochemistry	pH Buffer Solution pH 5.00 ± 0.01 @20°C	5L
10505	Electrochemistry	pH Buffer Solution pH 5.00 ± 0.01 @20°C	500ml
1060	Electrochemistry	pH Buffer Solution pH 6.00 ± 0.01 @20°C	1L
5060	Electrochemistry	pH Buffer Solution pH 6.00 ± 0.01 @20°C	5L
10605	Electrochemistry	pH Buffer Solution pH 6.00 ± 0.01 @20°C	500ml
1068	Electrochemistry	pH Buffer Solution pH 6.80 ± 0.01 @20°C	1L
10685	Electrochemistry	pH Buffer Solution pH 6.80 ± 0.01 @20°C	500ml
50702525	Electrochemistry	pH Buffer Solution pH 7.00 ± 0.01 @ 20°C	2.5L
1070	Electrochemistry	pH Buffer Solution pH 7.00 ± 0.01 @20°C	1L
5070	Electrochemistry	pH Buffer Solution pH 7.00 ± 0.01 @20°C	5L
10705	Electrochemistry	pH Buffer Solution pH 7.00 ± 0.01 @20°C	500ml
1080	Electrochemistry	pH Buffer Solution pH 8.00 ± 0.01 @20°C	1L
5080	Electrochemistry	pH Buffer Solution pH 8.00 ± 0.01 @20°C	5L
10805	Electrochemistry	pH Buffer Solution pH 8.00 ± 0.01 @20°C	500ml
1090	Electrochemistry	pH Buffer Solution pH 9.00 ± 0.01 @20°C	1L
5090	Electrochemistry	pH Buffer Solution pH 9.00 ± 0.01 @20°C	5L
10905	Electrochemistry	pH Buffer Solution pH 9.00 ± 0.01 @20°C	500ml
10920	Electrochemistry	pH Buffer Solution pH 9.20 ± 0.01 @20°C	1L
10925	Electrochemistry	pH Buffer Solution pH 9.20 ± 0.01 @20°C	500ml
10922	Electrochemistry	pH Buffer Solution pH 9.22 ± 0.01 @20°C	1L
109220	Electrochemistry	pH Buffer Solution pH 9.22 ± 0.01 @20°C	500ml
BPH97	Electrochemistry	pH Buffer Solution pH 1.675 ± 0.01 @20°C (Bag In Box)	5L
BPH44	Electrochemistry	pH Buffer Solution pH 10.00 ± 0.01 @20°C (Bag In Box)	5L
BPH63	Electrochemistry	pH Buffer Solution pH 11.00 ± 0.05 @20°C (Bag In Box)	5L
BPH43	Electrochemistry	pH Buffer Solution pH 4.00 ± 0.01 @20°C (Bag In Box)	5L
BPH113	Electrochemistry	pH Buffer Solution pH 4.66 ± 0.01 @20°C (Bag In Box)	5L
BPH105	Electrochemistry	pH Buffer Solution pH 5.00 ± 0.01 @20°C (Bag In Box)	5L
BPH35	Electrochemistry	pH Buffer Solution pH 6.00 ± 0.01 @20°C (Bag In Box)	10L
BPH22	Electrochemistry	pH Buffer Solution pH 7.00 ± 0.01 @20°C (Bag In Box)	5L
BPH48	Electrochemistry	pH Buffer Solution pH 8.00 ± 0.01 @20°C (Bag In Box)	5L
BPH32	Electrochemistry	pH Buffer Solution pH 9.00 ± 0.01 @20°C (Bag In Box)	5L
BPH47	Electrochemistry	pH Buffer Solution pH10.00 ± 0.01 @20°C (Bag In Box)	10L
BPH112	Electrochemistry	pH Buffer Solution pH13.00 ± 0.05 @20°C (Bag In Box)	10L
BPH45	Electrochemistry	pH Buffer Solution pH4.00 ± 0.01 @20°C (Bag In Box)	10L
BPH39	Electrochemistry	pH Buffer Solution pH5.00 ± 0.01 @20°C (Bag In Box)	10L
BPH46	Electrochemistry	pH Buffer Solution pH7.00 ± 0.01 @20°C (Bag In Box)	10L
BPH38	Electrochemistry	pH Buffer Solution pH8.00 ± 0.01 @20°C (Bag In Box)	10L
BPH33	Electrochemistry	pH Buffer Solution pH9.00 ± 0.01 @20°C (Bag In Box)	10L
10922002TT	Electrochemistry	pH Buffer Standard pH 9.22 ± 0.01 @ 20°C in a twin-neck bottle	250ml
11005C	Electrochemistry	pH Buffer Solution pH 10.00 ± 0.01 @20°C (Blue)	500ml
1100C	Electrochemistry	pH Buffer Solution pH 10.00 ± 0.01 @20°C (Blue)	1L
5100C	Electrochemistry	pH Buffer Solution pH 10.00 ± 0.01 @20°C (Blue)	5L
10402C	Electrochemistry	pH Buffer Solution pH 4.00 ± 0.01 @20°C (Red)	250ml
10405C	Electrochemistry	pH Buffer Solution pH 4.00 ± 0.01 @20°C (Red)	500ml
1040C	Electrochemistry	pH Buffer Solution pH 4.00 ± 0.01 @20°C (Red)	1L
5040C	Electrochemistry	pH Buffer Solution pH 4.00 ± 0.01 @20°C (Red)	5L
10705C	Electrochemistry	pH Buffer Solution pH 7.00 ± 0.01 @20°C (Yellow)	500ml
1070C	Electrochemistry	pH Buffer Solution pH 7.00 ± 0.01 @20°C (Yellow)	1L
5070C	Electrochemistry	pH Buffer Solution pH 7.00 ± 0.01 @20°C (Yellow)	5L
10905C	Electrochemistry	pH Buffer Solution pH 9.00 ± 0.01 @ 20°C (Blue)	500ml
1090C	Electrochemistry	pH Buffer Solution pH 9.00 ± 0.01 @ 20°C (Blue)	1L
BPH05	Electrochemistry	pH Buffer Solution pH 10.00 ± 0.01 @20°C (Blue) Bag in Box	5L
BPH06	Electrochemistry	pH Buffer Solution pH 10.00 ± 0.01 @20°C (Blue) Bag in Box	10L
BPH01	Electrochemistry	pH Buffer Solution pH 4.00 ± 0.01 @20°C (Red) Bag in Box	5L
BPH02	Electrochemistry	pH Buffer Solution pH 4.00 ± 0.01 @20°C (Red) Bag in Box	10L
BPH03	Electrochemistry	pH Buffer Solution pH 7.00 ± 0.01 @20°C (Yellow) Bag in Box	5L
BPH04	Electrochemistry	pH Buffer Solution pH 7.00 ± 0.01 @20°C (Yellow) Bag in Box	10L
11002CTT	Electrochemistry	pH Buffer Solution pH 10.00 ± 0.01 @20°C (Blue) twin neck format	250ml
11005CTT	Electrochemistry	pH Buffer Solution pH 10.00 ± 0.01 @20°C (Blue) twin neck format	500ml
1100CTT	Electrochemistry	pH Buffer Solution pH 10.00 ± 0.01 @20°C (Blue) twin neck format	1L
10402CTT	Electrochemistry	pH Buffer Solution pH 4.00 ± 0.01 @20°C (Red) twin neck format	250ml
10405CTT	Electrochemistry	pH Buffer Solution pH 4.00 ± 0.01 @20°C (Red) twin neck format	500ml
1040CTT	Electrochemistry	pH Buffer Solution pH 4.00 ± 0.01 @20°C (Red), twin-neck format	1L
10702CTT	Electrochemistry	pH Buffer Solution pH 7.00 ± 0.01 @20°C (Yellow) twin neck format	250ml




Premier
Scientific

Reagecon

A CALIBRE SCIENTIFIC COMPANY

Product Code	Category	Description	Pack Size
10705CTT	Electrochemistry	pH Buffer Solution pH 7.00 ± 0.01 @20°C (Yellow) twin neck format	500ml
1070CTT	Electrochemistry	pH Buffer Solution pH 7.00 ± 0.01 @20°C (Yellow), twin-neck format	1L
10905CTT	Electrochemistry	pH Buffer Solution pH 9.00 ± 0.01 @ 20°C (Blue) twin neck format	500ml
1060KHPB	Electrochemistry	Reagecon pH 6.00 Buffer Solution at 20°C	1L
110000C	Electrochemistry	pH Buffer Solution pH10.000 (Blue) ±0.010 @20°C (High Resolution)	500ml
104000C	Electrochemistry	pH Buffer Solution pH4.000 (Red) ±0.010 @20°C (High Resolution)	500ml
107000C	Electrochemistry	pH Buffer Solution pH7.000 (Yellow) ±0.010 @20°C (High Resolution)	500ml
LS41	Electrochemistry	pH Buffer Solution pH 4.10 ± 0.04 @20°C (Low Ionic Strength)	500ml
LS415	Electrochemistry	pH Buffer Solution pH 4.10 ± 0.04 @20°C (Low Ionic Strength)	5L
LS69	Electrochemistry	pH Buffer Solution pH 6.96 ± 0.04 @20°C (Low Ionic Strength)	500ml
LS695	Electrochemistry	pH Buffer Solution pH 6.96 ± 0.04 @20°C (Low Ionic Strength)	5L
101675	Electrochemistry	pH Buffer Solution pH 1.675 ± 0.010 @20°C NIST values	500ml
101677	Electrochemistry	pH Buffer Solution pH 1.677 ± 0.010 @20°C NIST values	500ml
110062	Electrochemistry	pH Buffer Solution pH 10.062 ± 0.010 @20°C NIST values	500ml
112627	Electrochemistry	pH Buffer Solution pH 12.627 ± 0.050 @20°C NIST values	500ml
103788	Electrochemistry	pH Buffer Solution pH 3.788 ± 0.010 @20°C NIST values	500ml
104001	Electrochemistry	pH Buffer Solution pH 4.001 ± 0.010 @20°C NIST values	500ml
106881	Electrochemistry	pH Buffer Solution pH 6.881 ± 0.010 @20°C NIST values	500ml
107429	Electrochemistry	pH Buffer Solution pH 7.429 ± 0.010 @20°C NIST values	500ml
109225	Electrochemistry	pH Buffer Solution pH 9.225 ± 0.010 @20°C NIST values	500ml
1068811	Electrochemistry	pH Buffer Solution pH6.881 ±0.010 @20°C NIST values	1L
BPH99	Electrochemistry	pH Buffer Solution pH 6.881± 0.01 @20°C NIST values (Bag in Box)	5L
BPH100	Electrochemistry	pH Buffer Solution pH 9.225 ± 0.01 @20°C NIST values (Bag in Box)	5L
CC1060	Electrochemistry	Reagecon pH 6.00 Phosphate Free Buffer Solution at 20°C	1L
CC1040	Electrochemistry	pH Buffer Solution pH 4.00 ± 0.01 @20°C (Phthalate Free)	1L
CC10405	Electrochemistry	pH Buffer Solution pH 4.00 ± 0.01 @20°C (Phthalate Free)	500ml
04C60	Electrochemistry	pH Buffer Solution pH 4.00 (Red) ± 0.01 @20°C (RECAL)	6x90ml
07C60	Electrochemistry	pH Buffer Solution pH 7.00 (Yellow) ± 0.01 (RECAL)	6x90ml
MXC60	Electrochemistry	pH Buffer Solution Recal mixed pack of 2xpH 4, 7 & 10 ± 0.01	6x90ml
70125025	Electrochemistry	pH Buffer Solution pH 7.01 ± 0.05 at 25°C - Yellow (for use with Antimony or equivalent electrodes)	250ml
70125050	Electrochemistry	pH Buffer Solution pH 7.01 ± 0.05 at 25°C - Yellow (for use with Antimony or equivalent electrodes)	500ml
10725025	Electrochemistry	pH Buffer Solution pH 1.07 ± 0.05 @25°C - Clear (for use with Antimony or equivalent electrodes)	250ml
10725050	Electrochemistry	pH Buffer Solution pH 1.07 ± 0.05 @25°C - Clear (for use with Antimony or equivalent electrodes)	500ml
401025P	Electrochemistry	pH Buffer Solution pH 4.00 ± 0.05 @25°C - Light Red (for use with Antimony or equivalent electrodes)	250ml
40102550	Electrochemistry	pH Buffer Solution pH 4.00 ± 0.05 @25°C - Light Red (for use with Antimony or equivalent electrodes)	500ml
1010525	Electrochemistry	pH Buffer Solution pH 1.00 ± 0.02 @25°C	500ml
1016725	Electrochemistry	pH Buffer Solution pH 1.677 ± 0.010 @25°C	1L
1016825	Electrochemistry	pH Buffer Solution pH 1.68 ± 0.02 @25°C	1L
10168	Electrochemistry	pH Buffer Solution pH 1.68 ± 0.02@25°C	500ml
110025	Electrochemistry	pH Buffer Solution pH 10.00 ± 0.01 @25°C	1L
1100525	Electrochemistry	pH Buffer Solution pH 10.00 ± 0.01 @25°C	500ml
111025	Electrochemistry	pH Buffer Solution pH 11.00 ± 0.05 @25°C	1L
1110525	Electrochemistry	pH Buffer Solution pH 11.00 ± 0.05 @25°C	500ml
112025	Electrochemistry	pH Buffer Solution pH 12.00 ± 0.05 @25°C	1L
512025	Electrochemistry	pH Buffer Solution pH 12.00 ± 0.05 @25°C	5L
1120525	Electrochemistry	pH Buffer Solution pH 12.00 ± 0.05 @25°C	500ml
113025	Electrochemistry	pH Buffer Solution pH 13.00 ± 0.05 @25°C	1L
1130525	Electrochemistry	pH Buffer Solution pH 13.00 ± 0.05 @25°C	500ml
102025	Electrochemistry	pH Buffer Solution pH 2.00 ± 0.02 @25°C	1L
502025	Electrochemistry	pH Buffer Solution pH 2.00 ± 0.02 @25°C	5L
1020525	Electrochemistry	pH Buffer Solution pH 2.00 ± 0.02 @25°C	500ml
103025	Electrochemistry	pH Buffer Solution pH 3.00 ± 0.02 @25°C	1L
1030525	Electrochemistry	pH Buffer Solution pH 3.00 ± 0.02 @25°C	500ml
104025	Electrochemistry	pH Buffer Solution pH 4.00 ± 0.01 @25°C	1L
504025	Electrochemistry	pH Buffer Solution pH 4.00 ± 0.01 @25°C	5L
1040525	Electrochemistry	pH Buffer Solution pH 4.00 ± 0.01 @25°C	500ml
10401255	Electrochemistry	pH Buffer Solution pH 4.01 ± 0.01 @25°C	500ml
105025	Electrochemistry	pH Buffer Solution pH 5.00 ± 0.01 @25°C	1L
505025	Electrochemistry	pH Buffer Solution pH 5.00 ± 0.01 @25°C	5L
1050525	Electrochemistry	pH Buffer Solution pH 5.00 ± 0.01 @25°C	500ml
106025	Electrochemistry	pH Buffer Solution pH 6.00 ± 0.01 @25°C	1L
506025	Electrochemistry	pH Buffer Solution pH 6.00 ± 0.01 @25°C	5L
1060525	Electrochemistry	pH Buffer Solution pH 6.00 ± 0.01 @25°C	500ml
106825	Electrochemistry	pH Buffer Solution pH 6.80 ± 0.01 @25°C	1L
1068525	Electrochemistry	pH Buffer Solution pH 6.80 ± 0.01 @25°C	500ml
1068805	Electrochemistry	pH Buffer Solution pH 6.86 ± 0.01 @25°C	500ml
1068725	Electrochemistry	pH Buffer Solution pH 6.87 ± 0.01 @25°C	1L
107025	Electrochemistry	pH Buffer Solution pH 7.00 ± 0.01 @25°C	1L
507025	Electrochemistry	pH Buffer Solution pH 7.00 ± 0.01 @25°C	5L
1070525	Electrochemistry	pH Buffer Solution pH 7.00 ± 0.01 @25°C	500ml
108025	Electrochemistry	pH Buffer Solution pH 8.00 ± 0.01 @25°C	1L
508025	Electrochemistry	pH Buffer Solution pH 8.00 ± 0.01 @25°C	5L




Premier
Scientific

Reagecon

A CALIBRE SCIENTIFIC COMPANY

Product Code	Category	Description	Pack Size
1080525	Electrochemistry	pH Buffer Solution pH 8.00 ± 0.01 @25°C	500ml
109025	Electrochemistry	pH Buffer Solution pH 9.00 ± 0.01 @25°C	1L
509025	Electrochemistry	pH Buffer Solution pH 9.00 ± 0.01 @25°C	5L
1090525	Electrochemistry	pH Buffer Solution pH 9.00 ± 0.01 @25°C	500ml
1092125	Electrochemistry	pH Buffer Solution pH 9.21 ± 0.01 @25°C	250ml
1094025	Electrochemistry	pH Buffer Solution pH 9.40 ± 0.01 @25°C	500ml
11001525	Electrochemistry	pH Buffer Solution pH10.01 ± 0.01 @25°C	500ml
11246525	Electrochemistry	pH Buffer Solution pH12.46 ± 0.050 @25°C	500ml
101025	Electrochemistry	pH Buffer Solution pH 1.00 ± 0.02 @25°C	1L
BPH27	Electrochemistry	pH Buffer Solution pH 1.00 ± 0.02 @25°C (Bag In Box)	5L
BPH49	Electrochemistry	pH Buffer Solution pH 10.00 ± 0.01 @25°C (Bag In Box)	5L
BPH42	Electrochemistry	pH Buffer Solution pH 12.00 ± 0.05 @25°C (Bag In Box)	5L
BPH13	Electrochemistry	pH Buffer Solution pH 2.00 ± 0.02 @25°C (Bag In Box)	5L
BPH21	Electrochemistry	pH Buffer Solution pH 4.00 ± 0.01 @25°C (Bag In Box)	5L
BPH19	Electrochemistry	pH Buffer Solution pH 6.00 ± 0.01 @25°C (Bag In Box)	5L
BPH23	Electrochemistry	pH Buffer Solution pH 7.00 ± 0.01 @25°C (Bag In Box)	5L
BPH28	Electrochemistry	pH Buffer Solution pH 9.00 ± 0.01 @25°C (Bag In Box)	5L
BPH108	Electrochemistry	Ph Buffer Solution pH4.00 ±0.01 @25°C(Bag In Box)	10L
BPH24	Electrochemistry	pH Buffer Solution pH7.00 ± 0.01 @25°C (Bag In Box)	10L
BPH64	Electrochemistry	pH Buffer Solution pH9.00 ±0.01@25°C (Bag In Box)	10L
1010525TT	Electrochemistry	pH Buffer Solution pH 1.00 ± 0.02 @25°C twin neck format	500ml
10168TT	Electrochemistry	pH Buffer Solution pH 1.68 ± 0.01 @ 25°C (Twin Neck Format)	500ml
1120525TT	Electrochemistry	pH Buffer Solution pH 12.00 ± 0.05 @25°C twin neck format	500ml
1020525TT	Electrochemistry	pH Buffer Solution pH 2.00 ± 0.02@ 25°C twin neck format	500ml
1068805TT	Electrochemistry	pH Buffer Solution pH 6.86 ± 0.01 @25°C twin neck format	500ml
1090525TT	Electrochemistry	pH Buffer Solution pH 9.00 ± 0.01 @25°C twin neck format	500ml
1092125TT	Electrochemistry	pH Buffer Solution pH 9.21 ± 0.01 @25°C twin neck format	500ml
110025C	Electrochemistry	pH Buffer Solution pH 10.00 ± 0.01 @25°C (Blue)	1L
1100525C	Electrochemistry	pH Buffer Solution pH 10.00 ± 0.01 @25°C (Blue)	500ml
510025C	Electrochemistry	pH Buffer Solution pH 10.00 ± 0.01 @25°C (Blue)	5L
2510025C	Electrochemistry	pH Buffer Solution pH 10.00±0.01@ 25°C (Blue)	25L
104025C	Electrochemistry	pH Buffer Solution pH 4.00 ± 0.01 @25°C (Red)	1L
1040525C	Electrochemistry	pH Buffer Solution pH 4.00 ± 0.01 @25°C (Red)	500ml
504025C	Electrochemistry	pH Buffer Solution pH 4.00 ± 0.01 @25°C (Red)	5L
2504025C	Electrochemistry	pH Buffer Solution pH 4.00 ± 0.01@ 25°C (Red)	25L
10401525C	Electrochemistry	pH Buffer Solution pH 4.01 ± 0.01@ 25°C (Red)	500ml
107025C	Electrochemistry	pH Buffer Solution pH 7.00 ± 0.01 @25°C (Yellow)	1L
1070525C	Electrochemistry	pH Buffer Solution pH 7.00 ± 0.01 @25°C (Yellow)	500ml
507025C	Electrochemistry	pH Buffer Solution pH 7.00 ± 0.01 @25°C (Yellow)	5L
BPH11	Electrochemistry	pH Buffer Solution pH 10.00 ± 0.01 @25°C (Blue) Bag in Box	5L
BPH12	Electrochemistry	pH Buffer Solution pH 10.00 ± 0.01 @25°C (Blue) Bag in Box	10L
BPH07	Electrochemistry	pH Buffer Solution pH 4.00 ± 0.01 @25°C (Red) Bag in Box	5L
BPH08	Electrochemistry	pH Buffer Solution pH 4.00 ± 0.01 @25°C (Red) Bag in Box	10L
BPH09	Electrochemistry	pH Buffer Solution pH 7.00 ± 0.01 @25°C (Yellow) Bag in Box	5L
BPH10	Electrochemistry	pH Buffer Solution pH 7.00 ± 0.01 @25°C (Yellow) Bag in Box	10L
1100525CCT	Electrochemistry	pH Buffer Solution pH 10.00 ± 0.01 @25°C (Blue) in twin-neck format	500ml
1040525CCT	Electrochemistry	pH Buffer Solution pH 4.00 ± 0.01 @25°C (Red) in twin-neck format	500ml
1068805CCT	Electrochemistry	pH Buffer Solution pH 6.86 ± 0.01 @25°C (Yellow) in twin-neck format	500ml
1070525CCT	Electrochemistry	pH Buffer Solution pH 7.00 ± 0.01 @25°C (Yellow) in twin-neck format	500ml
1092125CCT	Electrochemistry	pH Buffer Solution pH 9.21 ± 0.01@25°C (Blue) in twin-neck format	500ml
1100225CCT	Electrochemistry	pH Buffer Solution pH10.00 (Blue) ±0.01 @25°C (Twin neck Format)	250ml
110025CCT	Electrochemistry	pH Buffer Solution pH10.00 (Blue) ±0.01 @25°C (Twin Neck Format)	1L
104025CCT	Electrochemistry	pH Buffer Solution pH4.00 (Red) ±0.01 @25°C (Twin Neck Format)	1L
1040225CCT	Electrochemistry	pH Buffer Solution pH4.00 (Red) ±0.01 @25°C (Twin Neck Format)	250ml
10401255CCT	Electrochemistry	pH Buffer Solution pH4.01 (Red) ± 0.01@25°C (Twin Neck Format)	500ml
1070225CCT	Electrochemistry	pH Buffer Solution pH7.00 (Yellow) ±0.01 @25°C (Twin Neck Format)	250ml
107025CCT	Electrochemistry	pH Buffer Solution pH7.00 (Yellow) ±0.01 @25°C (Twin Neck Format)	1L
1124525	Electrochemistry	Reagecon pH 12.45 Buffer Solution at 25°C	1L
CI256-BUFF-10L	Electrochemistry	Reagecon pH 4.00 Citrate Buffer Solution at 25°C	10L
TB101NC	Electrochemistry	Reagecon pH 10.01 Buffer Solution at 25°C in Twin Neck	500ml
11245525TT	Electrochemistry	Reagecon pH 12.45 Buffer Solution at 25°C in Twin Neck	500ml
10401255TT	Electrochemistry	Reagecon pH 4.01 Buffer Solution at 25°C in Twin Neck	500ml
TB401NC	Electrochemistry	Reagecon pH 4.01 Buffer Solution at 25°C in Twin Neck	500ml
1070525TT	Electrochemistry	Reagecon pH 7.00 Buffer Solution at 25°C in Twin Neck	500ml
TB700NC	Electrochemistry	Reagecon pH 7.00 Buffer Solution at 25°C in Twin Neck	500ml
101679	Electrochemistry	pH Buffer Solution pH 1.679 ± 0.010 @25°C DIN19266 values	500ml
110012	Electrochemistry	pH Buffer Solution pH 10.012 ± 0.010 @25°C DIN19266 values	500ml
112454	Electrochemistry	pH Buffer Solution pH 12.454 ± 0.050 @25°C DIN19266 values	500ml
103776	Electrochemistry	pH Buffer Solution pH 3.776 ± 0.010 @25°C DIN19266 values	500ml
104005	Electrochemistry	pH Buffer Solution pH 4.005 ± 0.010 @25°C DIN19266 values	500ml
10687	Electrochemistry	pH Buffer Solution pH 6.865 ± 0.010 @25°C DIN19266 values	500ml
107413	Electrochemistry	pH Buffer Solution pH 7.413 ± 0.010 @25°C DIN19266 values	500ml




Premier
Scientific

Reagecon

A CALIBRE SCIENTIFIC COMPANY

Product Code	Category	Description	Pack Size
109180	Electrochemistry	pH Buffer Solution pH 9.180 ± 0.010 @25°C DIN19266 values	500ml
11245525	Electrochemistry	pH Buffer Solution pH12.45 ± 0.050 @25°C DIN19266 values	500ml
1040051	Electrochemistry	pH Buffer Solution pH4.005 ± 0.010 @25°C DIN19266 values	1L
BPH90	Electrochemistry	pH Buffer Solution pH 1.679 ± 0.01 @25°C DIN19266 values (Bag in Box)	5L
BPH91	Electrochemistry	pH Buffer Solution pH 3.776 ± 0.010 @25°C DIN19266 values (Bag in Box)	5L
BPH94	Electrochemistry	pH Buffer Solution pH 7.413 ± 0.010 @25°C DIN19266 values (Bag in Box)	5L
BPH95	Electrochemistry	pH Buffer Solution pH 9.18 ± 0.01 @25°C DIN19266 values (Bag in Box)	5L
BPH92	Electrochemistry	pH Buffer Solution pH4.005 ± 0.010 @25°C DIN19266 values (Bag In Box)	5L
101679TT	Electrochemistry	Buffer Standard pH 1.679 ± 0.010 @25°C DIN19266 values (Twin Neck Format)	500ml
104005TT	Electrochemistry	pH Buffer Solution pH 4.005 ± 0.010 @25°C DIN19266 values (Twin Neck Format)	500ml
106865TT	Electrochemistry	pH Buffer Solution pH 6.865 ± 0.010 @25°C DIN19266 values (Twin Neck Format)	500ml
109180CTT	Electrochemistry	pH Buffer Solution pH 9.18 ± 0.01 @25°C (Blue) DIN19266 values (Twin Neck Format)	500ml
109180TT	Electrochemistry	pH Buffer Solution pH 9.180 ± 0.010 @25°C DIN19266 values (Twin Neck Format)	500ml
10109	Electrochemistry	pH Buffer Solution pH 1.09 ± 0.03 @25°C DIN19267 values	1L
101095	Electrochemistry	pH Buffer Solution pH 1.09 ± 0.03 @25°C DIN19267 values	500ml
112755	Electrochemistry	pH Buffer Solution pH 12.75 ± 0.05 @25°C DIN19267 values	500ml
103065	Electrochemistry	pH Buffer Solution pH 3.06 ± 0.02 @25°C DIN19267 values	500ml
10465	Electrochemistry	pH Buffer Solution pH 4.65 ± 0.01 @25°C DIN19267 values	1L
104655	Electrochemistry	pH Buffer Solution pH 4.65 ± 0.01 @25°C DIN19267 values	500ml
106795	Electrochemistry	pH Buffer Solution pH 6.79 ± 0.01 @25°C DIN19267 values	500ml
109235	Electrochemistry	pH Buffer Solution pH 9.23 ± 0.01 @25°C DIN19267 values	500ml
H1002525C-H	Electrochemistry	pH Buffer Solution pH 10.000 (Blue) ± 0.010 @25°C (High Resolution)	25L
H100525C	Electrochemistry	pH Buffer Solution pH 10.000 (Blue) ± 0.010 @25°C (High Resolution)	500ml
H402525C-H	Electrochemistry	pH Buffer Solution pH 4.000 (Red) ± 0.010 @25°C (High Resolution)	25L
H40525C	Electrochemistry	pH Buffer Solution pH 4.000 (Red) ± 0.010 @25°C (High Resolution)	500ml
H40525	Electrochemistry	pH Buffer Solution pH 4.000 ± 0.010 @25°C (High Resolution)	500ml
H702525C-H	Electrochemistry	pH Buffer Solution pH 7.000 (Yellow) ± 0.010 @25°C (High Resolution)	25L
H70525C	Electrochemistry	pH Buffer Solution pH 7.000 (Yellow) ± 0.010 @25°C (High Resolution)	500ml
H70525	Electrochemistry	pH Buffer Solution pH 7.000 ± 0.010 @25°C (High Resolution)	500ml
110025CMF	Electrochemistry	pH Buffer Solution pH 10.00 ± 0.01 @ 25°C (Blue) (Mercury Free)	1L
510025CMF	Electrochemistry	pH Buffer Solution pH 10.00 ± 0.01 @ 25°C (Blue) (Mercury Free)	5L
1100255CMF	Electrochemistry	pH Buffer Solution pH 10.00 ± 0.01 @ 25°C (Blue) (Mercury Free)	500ml
502025MF	Electrochemistry	pH Buffer Solution pH 2.00 ± 0.02 @25°C (Mercury Free)	5L
1020255MF	Electrochemistry	pH Buffer Solution pH 2.00 ± 0.02 @25°C (Mercury Free)	500ml
102025MF	Electrochemistry	pH Buffer Solution pH 2.00 ± 0.02 @25°C (Mercury Free)	1L
504025CMF	Electrochemistry	pH Buffer Solution pH 4.00 ± 0.01 @ 25°C (Red) (Mercury Free)	5L
104025CMF	Electrochemistry	pH Buffer Solution pH 4.00 ± 0.01 @ 25°C (Red) (Mercury Free)	1L
1040525CMF	Electrochemistry	pH Buffer Solution pH 4.00 ± 0.01 @ 25°C (Red) (Mercury Free)	500ml
105025MF	Electrochemistry	pH Buffer Solution pH 5.00 ± 0.01 @25°C (Mercury Free)	1L
1050525MF	Electrochemistry	pH Buffer Solution pH 5.00 ± 0.01 @25°C (Mercury Free)	500ml
106025MF	Electrochemistry	pH Buffer Solution pH 6.00 ± 0.01 @25°C (Mercury Free)	1L
1060525MF	Electrochemistry	pH Buffer Solution pH 6.00 ± 0.01 @25°C (Mercury Free)	500ml
506025MF	Electrochemistry	pH Buffer Solution pH 6.00 ± 0.01 @25°C (Mercury Free)	5L
107025MF	Electrochemistry	pH Buffer Solution pH 7.00 ± 0.01 @25°C (Mercury Free)	1L
1070525MF	Electrochemistry	pH Buffer Solution pH 7.00 ± 0.01 @25°C (Mercury Free)	500ml
107025CMF	Electrochemistry	pH Buffer Solution pH 7.00 ± 0.01 @25°C (Yellow) (Mercury Free)	1L
1070525CMF	Electrochemistry	pH Buffer Solution pH 7.00 ± 0.01 @25°C (Yellow) (Mercury Free)	500ml
507025CMF	Electrochemistry	pH Buffer Solution pH 7.00 ± 0.01 @25°C (Yellow) (Mercury Free)	5L
1080525MF	Electrochemistry	pH Buffer Solution pH 8.00 ± 0.01 @25°C (Mercury Free)	500ml
CC104025	Electrochemistry	pH Buffer Solution pH 4.00 ± 0.01 @25°C (Phthalate Free)	1L
CC1040525	Electrochemistry	pH Buffer Solution pH 4.00 ± 0.01 @25°C (Phthalate Free)	500ml
CC504025	Electrochemistry	pH Buffer Solution pH 4.00 ± 0.01 @25°C (Phthalate Free)	5L
MXC65	Electrochemistry	pH Buffer Solution (RECAL) mixed pack of 2x pH 4, 7 & 10 ± 0.01 @25°C	6x90ml
MX09C65	Electrochemistry	pH Buffer Solution (RECAL) mixed pack of 2x pH 4, 7 & 9 ± 0.01 @25°C	6x90ml
10C65	Electrochemistry	pH Buffer Solution pH 10.00 (Blue) ± 0.01 @25°C (RECAL)	6x90ml
04C65	Electrochemistry	pH Buffer Solution pH 4.00 (Red) ± 0.01 (RECAL)	6x90ml
07C65	Electrochemistry	pH Buffer Solution pH 7.00 (Yellow) ± 0.01 (RECAL)	6x90ml
TB100	Electrochemistry	Technical pH Buffer Solution pH 10.00 ± 0.02 @25°C (Coloured)	500ml
TB1001	Electrochemistry	Technical pH Buffer Solution pH 10.00 ± 0.02 @25°C (Coloured)	1L
TB1002	Electrochemistry	Technical pH Buffer Solution pH 10.00 ± 0.02 @25°C (Coloured)	250ml
TB200	Electrochemistry	Technical pH Buffer Solution pH 2.00 ± 0.02 @25°C (Coloured)	500ml
TB2001	Electrochemistry	Technical pH Buffer Solution pH 2.00 ± 0.02 @25°C (Coloured)	1L
TB2002	Electrochemistry	Technical pH Buffer Solution pH 2.00 ± 0.02 @25°C (Coloured)	250ml
TB401	Electrochemistry	Technical pH Buffer Solution pH 4.01 ± 0.02 @25°C (Coloured)	500ml
TB4011	Electrochemistry	Technical pH Buffer Solution pH 4.01 ± 0.02 @25°C (Coloured)	1L
TB4012	Electrochemistry	Technical pH Buffer Solution pH 4.01 ± 0.02 @25°C (Coloured)	250ml
TB460	Electrochemistry	Technical pH Buffer Solution pH 4.60 ± 0.02 @25°C (Coloured)	500ml
TB46001	Electrochemistry	Technical pH Buffer Solution pH 4.60 ± 0.02 @25°C (Coloured)	1L
TB4602	Electrochemistry	Technical pH Buffer Solution pH 4.60 ± 0.02 @25°C (Coloured)	250ml
TB700	Electrochemistry	Technical pH Buffer Solution pH 7.00 ± 0.02 @25°C (Coloured)	500ml
TB7001	Electrochemistry	Technical pH Buffer Solution pH 7.00 ± 0.02 @25°C (Coloured)	1L
TB7002	Electrochemistry	Technical pH Buffer Solution pH 7.00 ± 0.02 @25°C (Coloured)	250ml




Premier
Scientific

Reagecon

A CALIBRE SCIENTIFIC COMPANY

Product Code	Category	Description	Pack Size
TB921	Electrochemistry	Technical pH Buffer Solution pH 9.21 ± 0.02 @25°C (Coloured)	500ml
TB9211	Electrochemistry	Technical pH Buffer Solution pH 9.21 ± 0.02 @25°C (Coloured)	1L
TB9212	Electrochemistry	Technical pH Buffer Solution pH 9.21 ± 0.02 @25°C (Coloured)	250ml
BPH107	Electrochemistry	Technical pH Buffer Solution pH 4.60 ± 0.02 @25°C (Bag in Box)	5L
104038	Electrochemistry	pH Buffer Solution pH 4.00 ± 0.01 @38°C, NIST traceable	1L
106038	Electrochemistry	pH Buffer Solution pH 6.00 ± 0.01 @38°C, NIST traceable	1L
107038	Electrochemistry	pH Buffer Solution pH 7.00 ± 0.01 @38°C, NIST traceable	1L
108038	Electrochemistry	pH Buffer Solution pH 8.00 ± 0.01 @38°C, NIST traceable	1L
CPMX47910	Electrochemistry	pH Buffer Capsule Kit (10 x pH 4.01, 20 x pH 7.00, 10 x pH 9.00, 10 x pH 10.00 ± 0.02 @25°C)	50 Capsules
CPMX479	Electrochemistry	pH Buffer Capsule Kit (20 x pH 4.01, 20 x pH 7.00, 10 x pH 9.00)	50 Capsules
CP1100	Electrochemistry	pH Buffer Capsules pH 10.00 ± 0.02 @25°C (Blue)	50 Capsules
CP1040	Electrochemistry	pH Buffer Capsules pH 4.01 ± 0.02 @25°C (Red)	50 Capsules
CP1070	Electrochemistry	pH Buffer Capsules pH 7.00 ± 0.02 @25°C (Green)	50 Capsules
CP1090	Electrochemistry	pH Buffer Capsules pH 9.00 ± 0.02 @25°C (Purple)	50 Capsules
CPMX4710-UNI	Electrochemistry	pH Buffer Capsule Kit (10 x pH 4, 10x pH 7, 10x pH 10 & 2 x Universal Indicator)	50 Capsules
1046520	Electrochemistry	pH Buffer Solution pH 4.65 @20°C	1L
Z507025C	Electrochemistry	pH Buffer Solution pH 7.00 ± 0.01 @25°C (Yellow)	25L
RS124	Electrochemistry	Redox Standard 124mV @25°C	500ml
RS12410	Electrochemistry	Redox Standard 124mV @25°C	10L
RS20025	Electrochemistry	Redox Standard 200mV @ 25°C	250ml
RS200	Electrochemistry	Redox Standard 200mV @25°C	500ml
RS20010	Electrochemistry	Redox Standard 200mV @25°C	10L
RS220	Electrochemistry	Redox Standard 220mV @25°C	500ml
RS22025TT	Electrochemistry	Redox Standard 220mV @25°C (Twin Format)	250ml
RS250	Electrochemistry	Redox Standard 250mV @25°C	500ml
RS25010	Electrochemistry	Redox Standard 250mV @25°C	10L
RS300	Electrochemistry	Redox Standard 300mV @25°C	500ml
RS358	Electrochemistry	Redox Standard 358mV @25°C	500ml
RS35810	Electrochemistry	Redox Standard 358mV @25°C	10L
RS400	Electrochemistry	Redox Standard 400mV @25°C	500ml
RS40010	Electrochemistry	Redox Standard 400mV @25°C	10L
RS440	Electrochemistry	Redox Standard 440mV @25°C	500ml
RS46525	Electrochemistry	Redox Standard 465mV @ 25°C	250ml
RS465	Electrochemistry	Redox Standard 465mV @25°C	500ml
RS46510	Electrochemistry	Redox Standard 465mV @25°C	10L
RS468	Electrochemistry	Redox Standard 468mV @25°C	500ml
RS46825TT	Electrochemistry	Redox Standard 468mV @ 25°C (Twin Neck Format)	250ml
RS475	Electrochemistry	Redox Standard 475mV @25°C	500ml
RS600	Electrochemistry	Redox Standard 600mV @25°C	500ml
RS60010	Electrochemistry	Redox Standard 600mV @25°C	10L
RS650	Electrochemistry	Redox Standard 650mV @25°C	500ml
RS65010	Electrochemistry	Redox Standard 650mV @25°C	10L
FORM100005	Electrochemistry	Formazin Turbidity Standard 1000NTU	500ml
RSTFMZ001	Electrochemistry	Reagecon 0 NTU Turbiform™ Stabilised Formazin Turbidity Standard	100ml
RSTFMZ005	Electrochemistry	Reagecon 0 NTU Turbiform™ Stabilised Formazin Turbidity Standard	500ml
RSTFMZ0101	Electrochemistry	Reagecon 0.1 NTU Turbiform™ Stabilised Formazin Turbidity Standard	100ml
RSTFMZ0105	Electrochemistry	Reagecon 0.1 NTU Turbiform™ Stabilised Formazin Turbidity Standard	500ml
RSTFMZ0301	Electrochemistry	Reagecon 0.3 NTU Turbiform™ Stabilised Formazin Turbidity Standard	100ml
RSTFMZ0305	Electrochemistry	Reagecon 0.3 NTU Turbiform™ Stabilised Formazin Turbidity Standard	500ml
RSTFMZ0501	Electrochemistry	Reagecon 0.5 NTU Turbiform™ Stabilised Formazin Turbidity Standard	100ml
RSTFMZ0505	Electrochemistry	Reagecon 0.5 NTU Turbiform™ Stabilised Formazin Turbidity Standard	500ml
RSTFMZ101	Electrochemistry	Reagecon 1 NTU Turbiform™ Stabilised Formazin Turbidity Standard	100ml
RSTFMZ105	Electrochemistry	Reagecon 1 NTU Turbiform™ Stabilised Formazin Turbidity Standard	500ml
RSTFMZ1001	Electrochemistry	Reagecon 10 NTU Turbiform™ Stabilised Formazin Turbidity Standard	100ml
RSTFMZ1005	Electrochemistry	Reagecon 10 NTU Turbiform™ Stabilised Formazin Turbidity Standard	500ml
RSTFMZ10001	Electrochemistry	Reagecon 100 NTU Turbiform™ Stabilised Formazin Turbidity Standard	100ml
RSTFMZ10005	Electrochemistry	Reagecon 100 NTU Turbiform™ Stabilised Formazin Turbidity Standard	500ml
RSTFMZ1M01	Electrochemistry	Reagecon 1000 NTU Turbiform™ Stabilised Formazin Turbidity Standard	100ml
RSTFMZ1M05	Electrochemistry	Reagecon 1000 NTU Turbiform™ Stabilised Formazin Turbidity Standard	500ml
RSTFMZ2001	Electrochemistry	Reagecon 20 NTU Turbiform™ Stabilised Formazin Turbidity Standard	100ml
RSTFMZ2005	Electrochemistry	Reagecon 20 NTU Turbiform™ Stabilised Formazin Turbidity Standard	500ml
RSTFMZ20001	Electrochemistry	Reagecon 200 NTU Turbiform™ Stabilised Formazin Turbidity Standard	100ml
RSTFMZ20005	Electrochemistry	Reagecon 200 NTU Turbiform™ Stabilised Formazin Turbidity Standard	500ml
RSTFMZ4001	Electrochemistry	Reagecon 40 NTU Turbiform™ Stabilised Formazin Turbidity Standard	100ml
RSTFMZ4005	Electrochemistry	Reagecon 40 NTU Turbiform™ Stabilised Formazin Turbidity Standard	500ml
RSTFMZ4M01	Electrochemistry	Reagecon 4000 NTU Turbiform™ Stabilised Formazin Turbidity Standard	100ml
RSTFMZ4M05	Electrochemistry	Reagecon 4000 NTU Turbiform™ Stabilised Formazin Turbidity Standard	500ml
RSTFMZ80001	Electrochemistry	Reagecon 800 NTU Turbiform™ Stabilised Formazin Turbidity Standard	100ml
RSTFMZ80005	Electrochemistry	Reagecon 800 NTU Turbiform™ Stabilised Formazin Turbidity Standard	500ml
CRS-0.02-100	Electrochemistry	Reagecon 0.02 NTU Non Ratio Turbidity Standard	100ml
CRS-100-1	Electrochemistry	Reagecon 100 NTU Non Ratio Turbidity Standard	1L
CRS-0-1000	Electrochemistry	Turbidity Standard Non Ratio 0.0 NTU	1L




Premier
Scientific

Reagecon

A CALIBRE SCIENTIFIC COMPANY

Product Code	Category	Description	Pack Size
CRS-0.0-100	Electrochemistry	Turbidity Standard Non Ratio 0.0 NTU	100ml
CRS-0.0-500	Electrochemistry	Turbidity Standard Non Ratio 0.0 NTU	500ml
CRS-0.1-100	Electrochemistry	Turbidity Standard Non Ratio 0.1 NTU	100ml
CRS-0.1-500	Electrochemistry	Turbidity Standard Non Ratio 0.1 NTU	500ml
CRS-0.2-100	Electrochemistry	Turbidity Standard Non Ratio 0.2 NTU	100ml
CRS-0.2-500	Electrochemistry	Turbidity Standard Non Ratio 0.2 NTU	500ml
CRS-0.4-100	Electrochemistry	Turbidity Standard Non Ratio 0.4 NTU	100ml
CRS-0.4-500	Electrochemistry	Turbidity Standard Non Ratio 0.4 NTU	500ml
CRS-0.5-100	Electrochemistry	Turbidity Standard Non Ratio 0.5 NTU	100ml
CRS-0.5-500	Electrochemistry	Turbidity Standard Non Ratio 0.5 NTU	500ml
CRS-1-100	Electrochemistry	Turbidity Standard Non Ratio 1 NTU	100ml
CRS-1-500	Electrochemistry	Turbidity Standard Non Ratio 1 NTU	500ml
CRS-1.8-100	Electrochemistry	Turbidity Standard Non Ratio 1.8 NTU	100ml
CRS-1.8-500	Electrochemistry	Turbidity Standard Non Ratio 1.8 NTU	500ml
CRS-10-1000	Electrochemistry	Turbidity Standard Non Ratio 10 NTU	1L
CRS-10-100	Electrochemistry	Turbidity Standard Non Ratio 10 NTU	100ml
CRS-10-500	Electrochemistry	Turbidity Standard Non Ratio 10 NTU	500ml
CRS-100-100	Electrochemistry	Turbidity Standard Non Ratio 100 NTU	100ml
CRS-100-500	Electrochemistry	Turbidity Standard Non Ratio 100 NTU	500ml
CRS-1000-100	Electrochemistry	Turbidity Standard Non Ratio 1000 NTU	100ml
CRS-1000-500	Electrochemistry	Turbidity Standard Non Ratio 1000 NTU	500ml
CRS-150-100	Electrochemistry	Turbidity Standard Non Ratio 150 NTU	100ml
CRS-150-500	Electrochemistry	Turbidity Standard Non Ratio 150 NTU	500ml
CRS-2-100	Electrochemistry	Turbidity Standard Non Ratio 2 NTU	100ml
CRS-2-500	Electrochemistry	Turbidity Standard Non Ratio 2 NTU	500ml
CRS-20-100	Electrochemistry	Turbidity Standard Non Ratio 20 NTU	100ml
CRS-20-500	Electrochemistry	Turbidity Standard Non Ratio 20 NTU	500ml
CRS-200-100	Electrochemistry	Turbidity Standard Non Ratio 200 NTU	100ml
CRS-200-500	Electrochemistry	Turbidity Standard Non Ratio 200 NTU	500ml
CRS-4-100	Electrochemistry	Turbidity Standard Non Ratio 4 NTU	100ml
CRS-4-500	Electrochemistry	Turbidity Standard Non Ratio 4 NTU	500ml
CRS-40-1000	Electrochemistry	Turbidity Standard Non Ratio 40 NTU	1L
CRS-40-100	Electrochemistry	Turbidity Standard Non Ratio 40 NTU	100ml
CRS-40-500	Electrochemistry	Turbidity Standard Non Ratio 40 NTU	500ml
CRS-400-100	Electrochemistry	Turbidity Standard Non Ratio 400 NTU	100ml
CRS-400-500	Electrochemistry	Turbidity Standard Non Ratio 400 NTU	500ml
CRS-4000-100	Electrochemistry	Turbidity Standard Non Ratio 4000 NTU	100ml
CRS-4000-500	Electrochemistry	Turbidity Standard Non Ratio 4000 NTU	500ml
CRS-5-60	Electrochemistry	Turbidity Standard Non Ratio 5 NTU	60ml
CRS-5-100	Electrochemistry	Turbidity Standard Non Ratio 5 NTU	100ml
CRS-5-500	Electrochemistry	Turbidity Standard Non Ratio 5 NTU	500ml
CRS-50-100	Electrochemistry	Turbidity Standard Non Ratio 50 NTU	100ml
CRS-50-500	Electrochemistry	Turbidity Standard Non Ratio 50 NTU	500ml
CRS-500-100	Electrochemistry	Turbidity Standard Non Ratio 500 NTU	100ml
CRS-500-500	Electrochemistry	Turbidity Standard Non Ratio 500 NTU	500ml
CRS-60-100	Electrochemistry	Turbidity Standard Non Ratio 60 NTU	100ml
CRS-60-500	Electrochemistry	Turbidity Standard Non Ratio 60 NTU	500ml
CRS-800-100	Electrochemistry	Turbidity Standard Non Ratio 800 NTU	100ml
CRS-800-500	Electrochemistry	Turbidity Standard Non Ratio 800 NTU	500ml
CRS-90-100	Electrochemistry	Turbidity Standard Non Ratio 90 NTU	100ml
CRS-90-500	Electrochemistry	Turbidity Standard Non Ratio 90 NTU	500ml
CRSR-0.02-100	Electrochemistry	Reagecon 0.02 NTU Ratio Turbidity Standard	100ml
CRSR-2000-100	Electrochemistry	Reagecon 2000 NTU Ratio Turbidity Standard	100ml
CRSR-0-100	Electrochemistry	Turbidity Standard Ratio 0.0 NTU	100ml
CRSR-0-500	Electrochemistry	Turbidity Standard Ratio 0.0 NTU	500ml
CRSR-0.1-100	Electrochemistry	Turbidity Standard Ratio 0.1 NTU	100ml
CRSR-0.1-500	Electrochemistry	Turbidity Standard Ratio 0.1 NTU	500ml
CRSR-0.2-100	Electrochemistry	Turbidity Standard Ratio 0.2 NTU	100ml
CRSR-0.2-500	Electrochemistry	Turbidity Standard Ratio 0.2 NTU	500ml
CRSR-0.4-100	Electrochemistry	Turbidity Standard Ratio 0.4 NTU	100ml
CRSR-0.4-500	Electrochemistry	Turbidity Standard Ratio 0.4 NTU	500ml
CRSR-0.5-100	Electrochemistry	Turbidity Standard Ratio 0.5 NTU	100ml
CRSR-0.5-500	Electrochemistry	Turbidity Standard Ratio 0.5 NTU	500ml
CRSR-1-1000	Electrochemistry	Turbidity Standard Ratio 1 NTU	1L
CRSR-1-100	Electrochemistry	Turbidity Standard Ratio 1 NTU	100ml
CRSR-1-500	Electrochemistry	Turbidity Standard Ratio 1 NTU	500ml
CRSR-1.8-100	Electrochemistry	Turbidity Standard Ratio 1.8 NTU	100ml
CRSR-1.8-500	Electrochemistry	Turbidity Standard Ratio 1.8 NTU	500ml
CRSR-10-100	Electrochemistry	Turbidity Standard Ratio 10 NTU	100ml
CRSR-10-500	Electrochemistry	Turbidity Standard Ratio 10 NTU	500ml
CRSR-100-1	Electrochemistry	Turbidity Standard Ratio 100 NTU	1L
CRSR-100-100	Electrochemistry	Turbidity Standard Ratio 100 NTU	100ml



Premier
Scientific

Reagecon

A CALIBRE SCIENTIFIC COMPANY

Product Code	Category	Description	Pack Size
CRSR-100-500	Electrochemistry	Turbidity Standard Ratio 100 NTU	500ml
CRSR-1000-100	Electrochemistry	Turbidity Standard Ratio 1000 NTU	100ml
CRSR-1000-500	Electrochemistry	Turbidity Standard Ratio 1000 NTU	500ml
CRSR-15-100	Electrochemistry	Turbidity Standard Ratio 15 NTU	100ml
CRSR-150-500	Electrochemistry	Turbidity Standard Ratio 150 NTU	500ml
CRSR-2-100	Electrochemistry	Turbidity Standard Ratio 2 NTU	100ml
CRSR-2-500	Electrochemistry	Turbidity Standard Ratio 2 NTU	500ml
CRSR-20-1000	Electrochemistry	Turbidity Standard Ratio 20 NTU	1L
CRSR-20-100	Electrochemistry	Turbidity Standard Ratio 20 NTU	100ml
CRSR-20-500	Electrochemistry	Turbidity Standard Ratio 20 NTU	500ml
CRSR-200-1	Electrochemistry	Turbidity Standard Ratio 200 NTU	1L
CRSR-200-100	Electrochemistry	Turbidity Standard Ratio 200 NTU	100ml
CRSR-200-500	Electrochemistry	Turbidity Standard Ratio 200 NTU	500ml
CRSR-2000-500	Electrochemistry	Turbidity Standard Ratio 2000 NTU	500ml
CRSR-4-100	Electrochemistry	Turbidity Standard Ratio 4 NTU	100ml
CRSR-4-500	Electrochemistry	Turbidity Standard Ratio 4 NTU	500ml
CRSR-40-1000	Electrochemistry	Turbidity Standard Ratio 40 NTU	1L
CRSR-40-100	Electrochemistry	Turbidity Standard Ratio 40 NTU	100ml
CRSR-40-500	Electrochemistry	Turbidity Standard Ratio 40 NTU	500ml
CRSR-400-100	Electrochemistry	Turbidity Standard Ratio 400 NTU	100ml
CRSR-400-500	Electrochemistry	Turbidity Standard Ratio 400 NTU	500ml
CRSR-4000-100	Electrochemistry	Turbidity Standard Ratio 4000 NTU	100ml
CRSR-4000-500	Electrochemistry	Turbidity Standard Ratio 4000 NTU	500ml
CRSR-5-100	Electrochemistry	Turbidity Standard Ratio 5 NTU	100ml
CRSR-5-500	Electrochemistry	Turbidity Standard Ratio 5 NTU	500ml
CRSR-50-100	Electrochemistry	Turbidity Standard Ratio 50 NTU	100ml
CRSR-50-500	Electrochemistry	Turbidity Standard Ratio 50 NTU	500ml
CRSR-500-100	Electrochemistry	Turbidity Standard Ratio 500 NTU	100ml
CRSR-500-500	Electrochemistry	Turbidity Standard Ratio 500 NTU	500ml
CRSR-60-100	Electrochemistry	Turbidity Standard Ratio 60 NTU	100ml
CRSR-60-500	Electrochemistry	Turbidity Standard Ratio 60 NTU	500ml
CRSR-800-100	Electrochemistry	Turbidity Standard Ratio 800 NTU	100ml
CRSR-800-500	Electrochemistry	Turbidity Standard Ratio 800 NTU	500ml
CRSR-90-100	Electrochemistry	Turbidity Standard Ratio 90 NTU	100ml
CRSR-90-500	Electrochemistry	Turbidity Standard Ratio 90 NTU	500ml